

Choosing a used 16 ft garage door can lower the upfront price of a garage door project, but the purchase only works well if the door matches your opening and does not require extensive garage door repair. In Los Angeles, used doors are available through salvage suppliers, remodeling resale outlets, contractors, and private sellers. The condition of the panels, garage door tracks, springs, rollers, cables, and opener can significantly affect the final cost.

A complete evaluation should include precise garage door measurements, a safety inspection, transportation, garage door installation, and possible repairs. This guide explains how to assess a used garage door for sale with garage door replacement, estimate garage door repair pricing, and find a qualified local garage door company in Los Angeles.

Where to Find a Used 16 Ft Garage Door Available for Purchase in Los Angeles

A used 16 ft garage door may be advertised by reclaimed building material dealers, demolition professionals, garage door installers, building reuse centers, and homeowners replacing an older door. Search terms such as "used 16 ft garage door," "used garage door for sale," and "16-foot garage door" can help identify listings in Los Angeles, Pasadena, Burbank, Glendale, and the San Fernando Valley.

Salvage building materials stores may carry an overhead garage door taken out during a renovation. These suppliers sometimes provide dimensions and photographs, but you should still examine the door in person. Ask whether the door was removed while operational, whether all hardware is included, and whether the seller knows the original manufacturer and model.

Private listings can be cheaper, but they often sell only the door sections. Springs, garage door tracks, brackets, garage door rollers, garage door cables, hinges, and an opener may be missing or unusable. Transportation is another consideration because a 16 ft door requires ample loading space and careful handling to avoid warping the panels.

Los Angeles homes commonly include detached garages, narrow driveways, and older housing stock. These conditions make access, opening dimensions, track alignment, and headroom especially important before finalizing a purchase. A local technician can evaluate the door before you pay and identify missing or unsafe components.

Is a Used 16 Ft Garage Door Remain Compatible With Your Garage?

A 16 ft garage door is often used for a wide two-car garage, but width alone does not confirm compatibility. The door must match the door opening, panel height, track configuration, spring system, and available space above and beside the opening. A door that is only slightly different in size may require structural modifications or new garage door tracks.

Match the seller's exact garage door dimensions with your own measurements. Confirm the door width, total height, number of panels, panel thickness, track radius, and location of the spring system. A replacement door may technically fit the opening but still be unsuitable if the existing tracks or framing are not compatible.

Measure the Opening, Panels, Tracks, and Headroom

Measure the door opening from the finished floor to the top of the opening and from one side jamb to the other. Measure the width and height of every garage door panel, not just the overall exterior dimensions. The door opening should be square, with both side jambs plumb and the header even.

Record the distance from each side of the opening to the nearest wall or obstruction. Measure the vertical track, horizontal track, and the space behind the tracks. Also check the headroom clearance between the top of the opening and the ceiling or lowest obstruction. Standard lift systems require enough room for the rollers, horizontal tracks, springs, and opener rail.

Older Los Angeles garages may have unusual framing, low ceilings, or limited side **Garage Door Repair in Los Angeles, CA** clearance. A high-lift, low-headroom, or rear-torsion configuration may be required in some spaces. Do not assume that the garage door tracks included with a used door can be installed again safely in a different garage.

Check Material, Insulation, Condition, and Hardware

Inspect each garage door panel for cracks, bends, delamination, rust, broken hinges, and loose fasteners. A steel garage door is generally durable, but dented sections can bind in the tracks. Wood doors may show swelling, rot, or failed joints. Check whether the panels are an insulated garage door design and whether the insulation remains secure and dry.

Garage door insulation can increase comfort in an attached garage and decrease heat transfer into nearby rooms. Compare the insulation thickness and construction with your current door. An insulated steel door may weigh substantially more than a basic uninsulated door, which influences spring sizing and opener requirements.

Examine all garage door hardware, including hinges, brackets, rollers, lift cables, drums, springs, and fasteners. Renew brittle or damaged weather seal and check the bottom seal for gaps. Weather stripping around the perimeter should touch the floor and jambs without causing undue friction.

Los Angeles County's mild, generally dry climate can minimize weather-related wear, but coastal areas such as Santa Monica and Long Beach may expose hardware to salt air and corrosion. Surface rust may be repairable, while deeply pitted springs, cables, and brackets should normally be replaced.

Frequent Garage Door Repair Problems Found in Used Doors

Used doors often require garage door repair prior to entering service. Frequent concerns are a broken garage door spring, damaged garage door panel, worn rollers, frayed cables, loose hinges, and a misaligned garage door track. A door that becomes noisy or feels unusually heavy should not be operated until the cause is determined.

Never try to remove or modify a loaded spring without proper tools and training. Springs store substantial energy, and an incorrect adjustment can cause serious injury. A professional garage door service technician can test the balance, inspect the lift system, and recommend safe repairs.

Garage Door Spring Replacement Near Me

People searching for "garage door spring replacement near me" should evaluate technicians based on licensing, insurance, response time, and the details included in the estimate. A broken garage door spring may leave the door too heavy for the opener to lift. Continuing to operate it can harm the opener, cables, or panels.

A torsion spring is mounted above the door and uses a shaft and drums to lift the sections. An extension spring is installed along the horizontal tracks and stretches as the door moves. These systems are not interchangeable

without the correct conversion hardware and calculations. Spring size must match the actual door weight, height, lift type, and cable drums.

Garage door spring cost varies with the spring type, door weight, number of springs, labor, and service timing. Torsion spring replacement and extension spring replacement on a wide, heavy door may cost more than a simple single-spring service. Ask whether the quoted garage door spring cost includes both springs when a matched pair is recommended, adjustment, safety testing, and disposal.

When a Garage Door Panel or Track Can Be Repaired

A garage door panel may be repaired when the damage is limited to a small dent, loose hinge, or replaceable reinforcement. A severely bent section, cracked frame, water damage, or damage affecting several panels may require garage door panel replacement. Matching an older panel can be difficult, particularly if the manufacturer has discontinued the design.

Garage door track repair may be appropriate when a track is a little loose, bent in one area, or out of alignment. The technician may reinforce the mounting brackets, adjust spacing, and renew damaged fasteners. A heavily twisted or corroded track should be replaced rather than bent back into position.

Garage door rollers and garage door cables are common replacement parts. Nylon or steel rollers can deteriorate and cause rattling or vibration. Cables may unravel near the drums or bottom brackets. Because cable failure can make the door unstable, replacement should be carried out as part of a proper garage door repair rather than regarded as a cosmetic fix.

Garage door repair Cost and Rates in Los Angeles

Garage door repair cost in Los Angeles varies according to the door's size, age, weight, accessibility, parts, labor, and urgency. A used 16 ft door may seem affordable, but the complete job can increase after adding transportation, installation, spring work, track adjustments, new rollers, weather seal, and an opener.

Obtain a written repair estimate that separates the service call fee, labor, replacement parts, taxes, disposal, and any emergency surcharge. This makes it easier to evaluate estimates from providers in Los Angeles, Pasadena, Burbank, Glendale, and the San Fernando Valley. Travel distance and after-hours scheduling can increase the service call fee.

How Much Does Garage Door Repair Cost?

The answer to "how much does garage door repair cost" depends on the specific failure. Minor adjustments, lubrication, weather seal replacement, or a single roller may be relatively modest repairs. Spring replacement, multiple rollers, cables, track work, or a damaged panel can cost much more. A 16 ft door may require heavier-duty parts and extra work than a single-car door.

Labor cost usually accounts for the technician's time, diagnostic inspection, installation, adjustment, and testing. Replacement parts may include springs, cables, rollers, hinges, brackets, tracks, panels, or safety sensors. Emergency garage door repair outside regular hours generally costs more because of immediate service needs and limited scheduling availability.

Confirm whether the estimate includes balancing the door and testing the automatic reverse function. A repair is incomplete if the door operates but remains unsafe, excessively heavy, or poorly balanced. The final price should also state whether the technician recommends replacing both components in a matched system.

Used Door Price Compared With Garage Door Replacement Cost

Compare the purchase price of the used door with the complete garage door replacement cost, not just the seller's asking price. The complete cost may include delivery, removal of the existing door, new tracks, spring system, hardware, opener adjustments, installation cost, and disposal.

The 2 automobile garage-door replacement cost changes by material, thermal insulation, style, brand, and installation circumstances. The phrase "two car garage door replacement cost" usually refers to a wide door accommodating two parking spaces, often around 16 ft wide, but the real expense varies with the property and equipment selected.

A used door can be economically practical when the panels are in usable condition and suitable components are included. Replacement is often the wiser option when the used door needs several panels, a complete spring system, new garage door tracks, substantial weather sealing, and structural work. Request a new-door quote for side-by-side evaluation before choosing an option.

Garage Door Opener Installation and Compatibility

A used door may not include a working garage door opener. Before using again an existing unit, check that its lifting capacity, rail length, travel settings, safety sensors, and mounting arrangement match the wider door. An opener should not be used to compensate for a poorly balanced door.

Garage door opener installation cost depends on the opener type, ceiling height, electrical access, reinforcement, removal of the old unit, and programming. A belt-drive opener generally operates more quietly, which may benefit an attached garage. A chain-drive opener is often long-lasting and practical, but it may produce more vibration and sound.

Ask the installer to test force settings, photo-eye sensors, manual release operation, and automatic reversal. Garage door opener repair may be needed if the existing motor has difficulty operating, the rail is bent, or the safety system is obsolete. The opener should be selected after the door's weight and balance have been checked.

Should You Repair, Reuse, or Replace a Used 16 Ft Door?

The repair-versus-replace decision should consider safety, remaining service life, appearance, insulation, and total cost. Reuse may be appropriate when the door is structurally sound, fits without major modifications, and needs only routine garage door maintenance or limited parts.

Garage door replacement is usually more practical when multiple panels are damaged, the door is heavily corroded, hardware is missing, or repair costs come close to the price of a new system. A new insulated door may improve energy efficiency, reduce noise, and include compatible tracks, springs, rollers, seals, and manufacturer support.

Have a safety inspection before operating a used door. The technician should check the balance, cables, springs, brackets, tracks, rollers, hinges, opener, safety sensors, and emergency release. Also consider local permit requirements if the project changes the opening, framing, structural supports, electrical system, or exterior configuration.

How to Hire Garage door repair Near Me in Los Angeles

When searching for garage door repair near me, compare local providers that frequently work on wide residential doors. Look for a licensed contractor with adequate insurance, clear contact information, and experience with

used overhead garage door systems. A local garage door company serving Los Angeles, Pasadena, Burbank, Glendale, or the San Fernando Valley may provide more prompt service and more precise travel-based pricing.

Request a written estimate before work begins. It should explain the problem, recommended repair, parts, labor, service call fee, taxes, emergency charges, and warranty terms. Avoid approving a major repair based only on a phone diagnosis or a unclear verbal price.

Ask whether the company provides a workmanship warranty and whether replacement parts carry separate coverage. Confirm that the technician will perform a final safety inspection and explain any future garage door maintenance. For urgent failures, verify the emergency repair service price before dispatch.

Questions to Ask Before Buying or Installing a Used Door

- What are the exact door width and height, panel dimensions, track style, and spring configuration?
- Are the garage door tracks, rollers, cables, hinges, brackets, and weather seal included?
- Was the door operating when removed, and are there photographs or service records?
- Does the installer provide an installation warranty?
- Which parts have a parts warranty, and who handles future claims?
- Can the seller provide proof of ownership and confirm that the door is not subject to a dispute?
- Will the proposed installation meet local building requirements and permit requirements?
- Does the work change the opening, header, framing, electrical wiring, or supporting structure?

For structural changes, a new opening, or other installation work, consult Los Angeles Department of Building and Safety guidance and verify requirements for your specific property. Permit requirements can vary based on the scope of work, [Garage Door Repair](#) location, and existing construction.



EM Garage Doors And Gate Service Inc

19629 Cantara St, Reseda, CA 91335

(818) 919-0785

<https://emgaragedoorsandgateservice.com/>

<https://maps.app.goo.gl/XujLWxA4pAQKARQT8>

34.2193569, -118.5613022

Common Questions

Where do I find a used 16 ft garage door for sale in Los Angeles?

Check salvage building materials suppliers, architectural reuse stores, demolition contractors, remodeling resale outlets, local installers, and private listings in Los Angeles. Review the door before purchase and verify the exact dimensions, included hardware, condition, and transportation requirements. A local technician can also help assess whether the door is suitable for your garage.

How much does garage door repair cost for a used 16 ft overhead garage door?

The garage door repair cost is determined by whether the door needs springs, cables, rollers, tracks, panels, weather seal, or opener work. A wide door may require heavier-duty parts and more labor. Ask for a written estimate that separates labor cost, replacement parts, the service call fee, and any emergency garage door repair charge.

What is the average garage door spring cost in Los Angeles?

Garage door spring cost varies according to the door's weight, spring type, number of springs, labor, and scheduling. A torsion spring system and an extension spring system require different parts and procedures. Check if the price includes installation, balancing, safety testing, and replacement of both springs when a matched pair is recommended.

Is repairing a used garage door cheaper than the 2 car garage door replacement cost?

Repairing a used door can be cheaper if the panels and frame are sound and only a few parts need attention. However, the total can approach or exceed the two car garage door replacement cost when the door needs multiple panels, tracks, springs, cables, rollers, and installation. Review a complete repair estimate with a new-door quote before deciding.

How do I know whether a used 16 ft garage door will fit my garage?

Measure the door opening, door width and height, individual garage door panel dimensions, side clearance, vertical and horizontal tracks, ceiling height, and headroom clearance. Verify the lift type and spring configuration. Because older Los Angeles homes may have detached garages, narrow driveways, and unusual framing, have a professional verify the garage door measurements before purchase.